



State of Florida
Department of Health, Bureau of Public Health Laboratories
This is to certify that




E871157

WAYPOINT ANALYTICAL, LLC
2790 WHITTEN RD.
MEMPHIS, TN 38133

has complied with Florida Administrative Code 64E-1,
for the examination of environmental samples in the following categories

DRINKING WATER - PRIMARY INORGANIC CONTAMINANTS



Continued certification is contingent upon successful on-going compliance with the NELAC Standards and FAC Rule 64E-1 regulations. Specific methods and analytes certified are cited on the Laboratory Scope of Accreditation for this laboratory and are on file at the Bureau of Public Health Laboratories, P. O. Box 210, Jacksonville, Florida 32231. Clients and customers are urged to verify with this agency the laboratory's certification status in Florida for particular methods and analytes.

Date Issued: July 01, 2024 Expiration Date: June 30, 2025



Marie-Claire Rowlinson, PhD, D(ABMM)
Bureau of Public Health Laboratories
DH Form 1697, 7/04

NON-TRANSFERABLE E871157-07-07/01/2024
Supersedes all previously issued certificates



Laboratory Scope of Accreditation

Attachment to Certificate #: E871157-07, expiration date June 30, 2025. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E871157** EPA Lab Code: **TN00012** **(901) 213-2440**

E871157
Waypoint Analytical, LLC
2790 Whitten Rd.
Memphis, TN 38133

Matrix: **Drinking Water**

Analyte#	Analyte	Method/Tech	Method Code	Category	Effective Date
1055	Copper	EPA 200.8	10014605	Primary Inorganic Contaminants	3/4/2024
1075	Lead	EPA 200.8	10014605	Primary Inorganic Contaminants	6/18/2020